



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginis 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/912,122 07/24/2001		Joshua Makower	TRNSV-015G	4515	
75	90 08/12/2003				
Robert D. Buyan STOUT, UXA, BUYAN & MULLINS, LLP Suite 300 4 Venture Irvine, CA 92618			EXAMI	EXAMINER	
			ISABELLA, DAVID J		
			ART UNIT	PAPER NUMBER	
,			3738	$\overline{}$	
			DATE MAILED: 08/12/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)				
_	09/912,122	MAKOWER ET AL.				
Office Action Summary	Examiner	Art Unit				
	DAVID J ISABELLA	3738				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the (correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	mely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on 24.	<u>July 2001</u> .					
2a) ☐ This action is FINAL . 2b) ☐ Th	nis action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims	Ex parte Quayre, 1935 C.D. 11,	400 0.0. 210.				
4) Claim(s) 1-45 is/are pending in the application	n.					
4a) Of the above claim(s) is/are withdra	wn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected.						
	7) Claim(s) is/are objected to.					
8) Claim(s) 1-45 are subject to restriction and/or election requirement.						
Application Papers	ar					
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority document	ts have been received.					
2. Certified copies of the priority documents have been received in Application No						
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
14)☐ Acknowledgment is made of a claim for domest	tic priority under 35 U.S.C. § 119	(e) (to a provisional application).				
 a) ☐ The translation of the foreign language pr 15)☐ Acknowledgment is made of a claim for domes 						
Attachment(s)	_					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 	5) Notice of Informal	ry (PTO-413) Paper No(s) Patent Application (PTO-152)				
J.S. Patent and Trademark Office						

Art Unit: 3738

Status of the Claims

The application as originally filed contained improper claims numbering. On pages 54 and 55, claims 7-9 were improperly numbered. Claims 7-9 have been renumbered as claims 10-12, respectively. Accordingly, beginning on page 56, the claims have been renumbered to follow consecutively renumbered claim 12 (ie old claim 9). Therefor, claims 10-42 have been renumbered as 13-45, respectively. Likewise wherever applicable, the dependency of the claims has been changed to correctly depend from the renumbered claim.

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-4, drawn to a torquable sheath, classified in class 600subclass
 585.
- II. Claims 5-11, drawn to guide catheter, classified in class 600, subclass433.
- III. Claims 12-30,42-45, drawn to catheter system, classified in class 606, subclass 200.
- IV. Claims 28-42, drawn to signal emitting catheter system, classified in class600, subclass 463.

The inventions are distinct, each from the other because of the following reasons:

Inventions of group I and groups II-IV are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each

Art Unit: 3738

other if they are shown to be separately usable. In the instant case, invention the torqueable sheath has separate utility such as providing flexibility in imaging endoscope. See MPEP § 806.05(d).

Inventions of group II and groups II&IV are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention the guide catheter does not require the torque features of group I nor does it require the markers of group III or the emitting means of group IV. The guide catheter has separate utility such as it may be used as an an occlusion catheter or a embolism catheter. See MPEP § 806.05(d).

Inventions of group III and group IV are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group III has separate utility such as a catheter for stent placement. See MPEP § 806.05(d).

Inventions of group IV and groups I,II and III are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group IV has separate utility such as being used for endoscopic procedures. See MPEP § 806.05(d).

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Art Unit: 3738

A telephone call was made to Mr.Robert Buyan on 8/8/03 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID J ISABELLA whose telephone number is 703-308-3060. The examiner can normally be reached on MONDAY-FRIDAY.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, CORRINE MCDERMOTT can be reached on 703-308-2111. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3579 for regular communications and 703-305-3580 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Art Unit: 3738

DAVID JASABELLA Primary Examiner
Art Unit 3738

dji August 9, 2003